


OBAN STEEL CT100


41.5 - 38.5 A Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100


41.5 - 38 A+ Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100


41 - 37.5 R- Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100


40.5 - 37 R Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100


40 - 36.5 R+ Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100


39.5 - 36 S- Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"

OBAN STEEL CT100

39 - 35.5 S Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 100 41.5	15	2.5°	100.3g	1.1"
Oban CT 100 41	15	2.3°	100.5g	1.2"
Oban CT 100 40.5	16	2.4°	100.4g	1.2"
Oban CT 100 40	16	2.3°	100.5g	1"
Oban CT 100 39.5	17	2.2°	101.1g	1"
Oban CT 100 39	17	2.2°	100.0g	1.1"
Oban CT 100 38.5	18	2.1°	100.5g	1"
Oban CT 100 38	18	2.0°	100.4g	1"
Oban CT 100 37.5	18	1.9°	100.3g	1"
Oban CT 100 37	19	1.9°	100.1g	0.9"
Oban CT 100 36.5	20	1.9°	100.7g	0.9"
Oban CT 100 36	20	1.9°	100.3g	0.9"
Oban CT 100 35.5	21	1.8°	100.6g	1"