


# OBAN STEEL CT115


41.5 - 38.5 R Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115


## 41.5 - 38 R+ Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115


## 41 - 37.5 S- Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115


## 40.5 - 37 S Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115


40 - 36.5 S+ Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115


39.5 - 36 X- Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"

# OBAN STEEL CT115

## 39 - 35.5 X Flex SET EI PROFILES



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 115 41.5	17	2.1°	115.6g	1.2"
Oban CT 115 41	17	2.0°	115.2g	1.2"
Oban CT 115 40.5	17	1.9°	115.1g	1.2"
Oban CT 115 40	18	1.9°	115.2g	1.1"
Oban CT 115 39.5	18	1.9°	115.4g	1.1"
Oban CT 115 39	19	1.8°	115.1g	1.2"
Oban CT 115 38.5	20	1.9°	115.3g	1.1"
Oban CT 115 38	20	1.8°	115.2g	1.1"
Oban CT 115 37.5	21	1.7°	115.1g	1.1"
Oban CT 115 37	21	1.5°	115.2g	1"
Oban CT 115 36.5	22	1.6°	115.5g	0.9"
Oban CT 115 36	23	1.6°	115.0g	0.9"
Oban CT 115 35.5	23	1.5°	114.8g	0.9"