


OBAN STEEL CT125

41.5 - 38 S Flex SET EI PROFILES

STIFF



SOFT



FIT 2 SCORE

TIP

BUTT

<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 125 41.5	19	1.9°	127.4g	1.2"
Oban CT 125 41	19	1.8°	127.7g	1.1"
Oban CT 125 40.5	20	1.9°	127.3g	1.2"
Oban CT 125 40	21	1.7°	127.6g	1.1"
Oban CT 125 39.5	21	1.7°	128.0g	1.2"
Oban CT 125 39	22	1.6°	127.6g	1.1"
Oban CT 125 38.5	23	1.6°	127.5g	1.1"
Oban CT 125 38	23	1.5°	127.5g	1.1"
Oban CT 125 37.5	24	1.5°	127.7g	1"
Oban CT 125 37	25	1.4°	127.4g	1"
Oban CT 125 36.5	25	1.4°	127.6g	0.9"
Oban CT 125 36	25	1.5°	126.7g	0.9"


OBAN STEEL CT125

41 - 37.5 S+ Flex SET EI PROFILES

STIFF



SOFT



TIP

BUTT

<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 125 41.5	19	1.9°	127.4g	1.2"
Oban CT 125 41	19	1.8°	127.7g	1.1"
Oban CT 125 40.5	20	1.9°	127.3g	1.2"
Oban CT 125 40	21	1.7°	127.6g	1.1"
Oban CT 125 39.5	21	1.7°	128.0g	1.2"
Oban CT 125 39	22	1.6°	127.6g	1.1"
Oban CT 125 38.5	23	1.6°	127.5g	1.1"
Oban CT 125 38	23	1.5°	127.5g	1.1"
Oban CT 125 37.5	24	1.5°	127.7g	1"
Oban CT 125 37	25	1.4°	127.4g	1"
Oban CT 125 36.5	25	1.4°	127.6g	0.9"
Oban CT 125 36	25	1.5°	126.7g	0.9"


OBAN STEEL CT125

40.5 - 37 X- Flex SET EI PROFILES

STIFF



SOFT



TIP



BUTT

FIT 2 SCORE

<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 125 41.5	19	1.9°	127.4g	1.2"
Oban CT 125 41	19	1.8°	127.7g	1.1"
Oban CT 125 40.5	20	1.9°	127.3g	1.2"
Oban CT 125 40	21	1.7°	127.6g	1.1"
Oban CT 125 39.5	21	1.7°	128.0g	1.2"
Oban CT 125 39	22	1.6°	127.6g	1.1"
Oban CT 125 38.5	23	1.6°	127.5g	1.1"
Oban CT 125 38	23	1.5°	127.5g	1.1"
Oban CT 125 37.5	24	1.5°	127.7g	1"
Oban CT 125 37	25	1.4°	127.4g	1"
Oban CT 125 36.5	25	1.4°	127.6g	0.9"
Oban CT 125 36	25	1.5°	126.7g	0.9"

OBAN STEEL CT125

40 - 36.5 X Flex SET EI PROFILES

STIFF



SOFT

TIP



BUTT

FIT 2 SCORE



<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 125 41.5	19	1.9°	127.4g	1.2"
Oban CT 125 41	19	1.8°	127.7g	1.1"
Oban CT 125 40.5	20	1.9°	127.3g	1.2"
Oban CT 125 40	21	1.7°	127.6g	1.1"
Oban CT 125 39.5	21	1.7°	128.0g	1.2"
Oban CT 125 39	22	1.6°	127.6g	1.1"
Oban CT 125 38.5	23	1.6°	127.5g	1.1"
Oban CT 125 38	23	1.5°	127.5g	1.1"
Oban CT 125 37.5	24	1.5°	127.7g	1"
Oban CT 125 37	25	1.4°	127.4g	1"
Oban CT 125 36.5	25	1.4°	127.6g	0.9"
Oban CT 125 36	25	1.5°	126.7g	0.9"

OBAN STEEL CT125

39.5 - 36 X+ Flex SET EI PROFILES

STIFF

SOFT

TIP

BUTT

FIT 2 SCORE

<i>Model - Shaft #</i>	<i>EI Area</i>	<i>Butt Torque</i>	<i>Weight</i>	<i>Balance</i>
Oban CT 125 41.5	19	1.9°	127.4g	1.2"
Oban CT 125 41	19	1.8°	127.7g	1.1"
Oban CT 125 40.5	20	1.9°	127.3g	1.2"
Oban CT 125 40	21	1.7°	127.6g	1.1"
Oban CT 125 39.5	21	1.7°	128.0g	1.2"
Oban CT 125 39	22	1.6°	127.6g	1.1"
Oban CT 125 38.5	23	1.6°	127.5g	1.1"
Oban CT 125 38	23	1.5°	127.5g	1.1"
Oban CT 125 37.5	24	1.5°	127.7g	1"
Oban CT 125 37	25	1.4°	127.4g	1"
Oban CT 125 36.5	25	1.4°	127.6g	0.9"
Oban CT 125 36	25	1.5°	126.7g	0.9"